

Problem Set - 10

Autumn 2019

MATHEMATICS-I (MA10001)

1. Find the following limits (if exists).

(a) $\lim_{z \rightarrow -i} \frac{iz^3 + 1}{z^2 + 1}$

(b) $\lim_{z \rightarrow 0} \frac{z}{\bar{z}}$

(c) $\lim_{z \rightarrow \infty} \frac{(az + b)^3}{(cz + d)^3}$, if $c \neq 0$

(d) $\lim_{z \rightarrow 2i} \frac{\bar{z} + z^2}{1 - \bar{z}}$

2. Test the continuity of the following functions at $z = 0$.

(a) $f(z) = \begin{cases} \frac{\operatorname{Re}(z^3)}{|z|^2} & \text{if } z \neq 0 \\ 0 & \text{if } z = 0 \end{cases}$

(b) $f(z) = \begin{cases} \frac{\bar{z}^3}{z^2} & \text{if } z \neq 0 \\ 0 & \text{if } z = 0 \end{cases}$

(c) $f(z) = \begin{cases} \frac{\operatorname{Re}(z) - \operatorname{Im}(z)}{|z|^2} & \text{if } z \neq 0 \\ 0 & \text{if } z = 0 \end{cases}$

3. Test the differentiability of the following functions at $z = 0$.

(a) $f(z) = \bar{z}$

(b) $f(z) = \operatorname{Im}(z)$

(c) $f(z) = |z|^2$

4. Let $f(z) = \begin{cases} \frac{z \operatorname{Re}(z)}{|z|} & \text{if } z \neq 0 \\ 0 & \text{if } z = 0 \end{cases}$,

Show that

(a) $f(z)$ is continuous at $z = 0$.

(b) The complex derivative $f'(0)$ does not exist.

5. Show that the function $f(z) = \begin{cases} \frac{x^3(1+i) - y^3(1-i)}{x^2 + y^2} & \text{if } z \neq 0 \\ 0 & \text{if } z = 0 \end{cases}$ satisfies C-R equations at the origin, but $f'(0)$ does not exist.

6. Let $f(z) = \begin{cases} \frac{\bar{z}^2}{z} & \text{if } z \neq 0 \\ 0 & \text{if } z = 0 \end{cases}$. Show that

- (a) $f(z)$ is continuous everywhere on \mathbb{C} .
 (b) The complex derivative $f'(0)$ does not exist.

7. Show that the following functions are harmonic and find its harmonic conjugate.

(a) $u(x, y) = 2x - x^3 + 3xy^2$

(b) $u(x, y) = \log \sqrt{x^2 + y^2}$

(c) $u(x, y) = \frac{y}{x^2 + y^2}$

(d) $u(x, y) = \sinh x \sin y$

(e) $u(x, y) = e^{-x}(x \sin y - y \cos y)$

8. Using Cauchy Riemann-equations, show that the following functions are nowhere analytic.

(a) $f(z) = (\bar{z} + 1)^3 - 3\bar{z}$

(b) $f(z) = e^{\bar{z}}$

9. (a) If $f(z)$ is analytic at z_0 . Prove that it must be continuous at z_0 .
 (b) Give an example to show that the converse of (a) is not necessarily true.

10. If $f = u + iv$ is analytic in a region D and $v = u^2$ in D , then prove that f must be a constant in D .

11. If $u(x, y)$ is a harmonic function in a region D and $g(z) = \frac{\partial u}{\partial x} - i \frac{\partial u}{\partial y}$. Show that $g(z)$ is analytic in D .

12. For any complex function $f(z)$. If $\frac{\partial^2 f}{\partial x \partial y} = \frac{\partial^2 f}{\partial y \partial x}$, then prove that

$$\frac{\partial^2 f}{\partial x^2} + \frac{\partial^2 f}{\partial y^2} = 4 \frac{\partial^2 f}{\partial z \partial \bar{z}}.$$

13. Given $v(x, y) = x^4 - 6x^2y^2 + y^4$. Find $f(z)$ in terms of z such that $f(z)$ is analytic.

14. Find the analytic function $f(z) = u + iv$ given that $u - v = e^x(\cos y - \sin y)$.

15. Prove the following statements:

(a) Let f be an analytic function in a domain D . If $|f(z)| = K$, where K is a constant, then f is constant in D .

(b) If $f(z)$ is a differentiable function, the C-R equations can be put in the form $\frac{\partial f}{\partial \bar{z}} = 0$.

(c) If $f(z)$ and $\overline{f(z)}$ are analytic in a region D , show that $f(z)$ is constant in that region.

(d) The functions $f(z)$ and $\overline{f(\bar{z})}$ are simultaneously analytic.
