

Graph Theory: Degree Sequences and Digraphs



Pallab Dasgupta,

**Professor, Dept. of Computer Sc. and
Engineering, IIT Kharagpur**

pallab@cse.iitkgp.ernet.in

Degree Sequence

- The *degree sequence* of a graph is the list of vertex degrees, usually written in non-increasing order, as $d_1 \geq \dots \geq d_n$

Algorithmic or Constructive Proofs

- Every loop-less graph G has a bipartite sub-graph with at least $e(G)/2$ edges
- The non-negative integers, $d_1 \geq \dots \geq d_n$ are the vertex degrees of some graph if and only if $\sum d_i$ is even

Graphic Sequence

- A *graphic sequence* is a list of non-negative numbers that is the degree sequence of some simple graph.
 - A simple graph with degree sequence d *realizes* d .

Graphic: necessary & sufficient

- For $n > 1$, the non-negative integer list d of size n is graphic if and only if d' is graphic, where d' is the list of size $n-1$ obtained from d by deleting its largest element Δ , and subtracting 1 from its Δ next largest elements.

[Havel 1955, Hakimi 1962]

2-switch

A *2-switch* is a replacement of a pair edges xy and zw in a simple graph by the edges yz and wx , given that yz and wx did not appear in the graph originally.

- If G and H are two simple graphs with vertex set V , $d_G(v) = d_H(v)$ for every $v \in V$ if and only if there is a sequence of 2-switches that transforms G into H .

[Berge 1973]

Orientation of a Digraph

- An *orientation* of a graph G is a digraph D obtained from G by choosing an orientation ($x \rightarrow y$ or $y \rightarrow x$) for each edge $xy \in E(G)$.
- A *tournament* is an orientation of a complete graph.

King

- A *king* is a vertex from which every vertex is reachable by a path of length at most 2.
- Every tournament has a king.